

Article type:
Review Research

1,2,3 College of Science, Mustansiriyah University, Baghdad, Iraq

4 Department of Higher Education, General Directorate of Education in Anbar, Ministry of Education, Hit, Anbar 31007, Iraq.

5 Department of Emergency Medicine and First Aid Techniques, Institute of Medical Technology/ Baghdad, Middle Technical University, Baghdad, Iraq.

6,7 Biotechnology Branch, Departments of Applied Sciences, University of Technology, Iraq.

Corresponding author email address:
a_abd.moh@uomustansiriyah.edu.iq



Article history:

Received 23 Jul 2025

Revised 27 Aug 2025

Accepted 19 Sep 2025

Published online 01 Nov 2025

How to cite this article:

Mohammed, A. A., Mahmoud, H. Q., Daham, R. I., Yaseen, O. Q., Sardal, M. H., Jasim, B. H., & Mohammed, K. R. (2025). Biochemical and Neuroendocrine Markers of Academic Stress in Iraqi Postgraduate Students: A Narrative Review. *International Journal of Body, Mind and Culture*, 12(8), 14-26.

Biochemical and Neuroendocrine Markers of Academic Stress in Iraqi Postgraduate Students: A Narrative Review

Ali Abdulmawjood. Mohammed^{1*}, Hiba Qasim. Mahmoud², Reyam Ibraheem. Daham³, Omar Qahtan. Yaseen⁴, Mohammed Hamzah. Sardal⁵, Bilal Husam. Jasim⁶, Karrar Riaydh. Mohammed⁷

ABSTRACT

Objective: Academic stress is a significant challenge for postgraduate students, particularly in Iraq, where psychological, social, and financial stressors are prevalent. Understanding the biochemical markers of academic stress, especially from a psychoneuroendocrine perspective, is crucial for exploring the relationship between mental health and physiological responses.

Methods and Materials: This narrative review explores key concepts related to academic burnout, chronic stress, and psychoneuroendocrinology, which studies the interactions among the nervous system, hormones, and emotional states. The review focuses on various biochemical markers, including cortisol, inflammatory cytokines (IL-6, TNF-alpha), adrenaline, noradrenaline, C-reactive protein (CRP), and oxidative stress markers.

Findings: These biomarkers play an essential role in mediating the stress response and influencing psychological and cognitive functions, including memory, attention, and mood regulation. The review also addresses the specific stressors faced by Iraqi postgraduate students, highlighting the limited empirical research combining psychiatric and biochemical aspects in this population, particularly in light of resource shortages and political instability.

Conclusion: This review emphasizes the need for further research on the biochemical markers of stress in Iraqi universities. It advocates for the development of comprehensive psychological and biochemical support programs to aid students. These programs could serve as diagnostic tools for the early identification and intervention of academic stress.

Keywords: Academic Stress, Postgraduate students, Psychoneuroendocrinology, Review.



© 2025 the authors. This is an open-access article under the terms of the Creative Commons Attribution-NonCommercial 4.0 International (CC BY-NC 4.0) License.

Introduction

Academic stress is a significant issue for postgraduate students worldwide, and in Iraq, it becomes even more pronounced due to a variety of psychological, social, and economic factors that act as stressors. In the Iraqi context, postgraduate students face substantial academic pressures, including heavy workloads from assignments and exams, high familial and societal expectations, and financial challenges. These factors may impede the learning process, particularly for postgraduate students who are expected to perform at an advanced academic level (Zainulabdeen & Sami, 2016).

Psychological and Biochemical Factors:

Understanding the connection between psychological and biochemical stress factors is essential to gaining a comprehensive understanding of academic stress among students. Stress triggers biological responses mediated by the central nervous system and hormones, with one of the most widely studied biochemical markers being cortisol (Al-Bajalani, 2024). This hormone is released during periods of stress and serves as an indicator of the physiological response to academic pressure (Alkozi et al., 2024). The relationship between mental and biological components of stress reveals how psychological disorders, such as anxiety and depression, can evolve into physical illnesses through hormonal and neurological responses (Al-Bajalani, 2024).

Challenges Faced by Iraqi Postgraduate Students:

Postgraduate students in Iraq face additional challenges that exacerbate their academic stress compared to students in other countries (Al-Nimer, 2010). The lack of access to modern educational resources and research tools has left many students at a disadvantage. Financial difficulties, with many students struggling to afford tuition and basic living expenses, further contribute to their stress (Hasan et al., 2022). Additionally, the political instability in Iraq adds a layer of uncertainty, as students in certain regions face insecurity and lack assurance regarding their academic futures. These factors, when combined, create a high level of chronic stress, with studies showing a prevalence of anxiety, depression, and sleep disturbances among students, significantly impacting their academic success (Alanbari et al., 2023).

Despite the widespread presence of these challenges, few studies in Iraq combine psychiatric and biochemical perspectives. There is a critical need for more comprehensive research that investigates the interplay between psychological stress and biochemical markers in this population. The lack of such integrated studies highlights the urgency of combining these fields to better understand the multifaceted impact of academic stress on students' health and academic performance.

This review emphasizes the necessity of interdisciplinary research that integrates psychological and biochemical perspectives to address academic stress. It aims to provide a foundation for the development of early diagnostic tools for stress detection in Iraqi universities (Mohammed & Sajit, 2016). By examining the biochemical markers of stress, this study seeks to inform the design of holistic support programs that incorporate both psychological and biochemical approaches. Such programs could potentially serve as diagnostic systems for early stress identification and interventions, improving student well-being and academic outcomes (Fawzy & Hamed, 2017).

Introduction to Academic Stress

Academic stress is a significant issue faced by postgraduate students worldwide, and this challenge is particularly pronounced in Iraq, where multiple psychological, social, and economic stressors combine to intensify the academic environment. Stress in academic settings arises from various factors, including heavy academic workload, high societal and familial expectations, and financial instability (Al-Ayadhi, 2005; Patel et al., 2021). Postgraduate students, who are required to meet more demanding academic standards, are particularly vulnerable to these stressors, which can hinder their academic performance and overall well-being. Studies have demonstrated that academic stress is not only linked to cognitive decline but also has profound physiological effects that manifest through biochemical markers (Al Shawi et al., 2018).

Burnout as a Factor of Academic Exhaustion and Chronic Stress

Academic burnout refers to a state of severe emotional, mental, and physical exhaustion caused by prolonged academic pressure. It is characterized by chronic fatigue, a sense of inefficacy, and disengagement

from academic tasks, significantly impacting students' productivity and mental health (Al-Nimer, 2010). Burnout occurs when the demands placed on students exceed their coping abilities, especially in postgraduate education, where balancing academic, research, and personal responsibilities becomes increasingly challenging. Prolonged stress, coupled with insufficient support systems, leads to burnout, affecting both cognitive function and emotional regulation (Maslach & Leiter, 2017).

Chronic Stress and Its Physiological Consequences

Chronic stress differs from acute stress in that it involves the sustained activation of the body's stress response systems over an extended period (Ghafoor & Haar, 2022). While acute stress is short-lived and typically triggered by immediate demands (such as exams or deadlines), chronic stress persists over time, often driven by continuous academic pressures or external stressors like financial instability or political insecurity. The prolonged activation of stress pathways, particularly through the hypothalamic-pituitary-adrenal (HPA) axis, induces long-term physiological changes. Chronic stress is associated with numerous health issues, including impaired cognitive function, emotional dysregulation, and increased susceptibility to cardiovascular diseases and metabolic disorders (Chaabane et al., 2021).

For postgraduate students, the chronic nature of academic stress, compounded by external pressures, has been shown to impair cognitive functions such as memory and concentration, diminishing overall academic performance. The failure to recover from ongoing stressors can have long-term consequences for both mental and physical health, emphasizing the need for effective stress management strategies (Pears, 1989).

Psychoneuroendocrinology: The Interaction Between the Nervous System, Hormones, and Psychological Health

Psychoneuroendocrinology (PNE) is the study of the intricate interactions between the nervous system, the endocrine system, and psychological states (Khan et al., 2024; Salahuddin et al., 2016). A central component of this field is the HPA axis, which mediates the body's response to stress. The HPA axis involves the release of stress hormones, including cortisol, adrenaline, and noradrenaline, which prepare the body for a fight-or-flight response. These hormones play critical roles in regulating the body's physiological state during periods

of stress. Among these, cortisol is one of the most widely studied biomarkers of stress. It is secreted by the adrenal glands in response to stressors and serves as an indicator of the physiological impact of stress. While short-term cortisol elevation is adaptive, chronic exposure to elevated cortisol levels can lead to immune suppression, weight gain, and cognitive impairments, particularly in memory and learning processes (Al-Ayadhi, 2005).

In addition to cortisol, catecholamines such as adrenaline and noradrenaline are also released during stress. These hormones are essential for the body's immediate stress response, enhancing heart rate, blood pressure, and alertness. However, prolonged exposure to these hormones, especially under conditions of chronic stress, may elevate anxiety levels and disrupt cognitive functions, including decision-making, attention, and memory (Onuoha & Idemudia, 2020).

Acute vs. Chronic Stress and Their Effects on the Body:

The primary distinction between acute and chronic stress lies in the duration of exposure and the resulting physiological responses. Acute stress typically occurs in response to short-term, time-limited stressors such as exams or presentations. The body's stress response systems are activated, but once the stressor is removed, the body returns to baseline. Chronic stress, on the other hand, results from prolonged exposure to stressors, such as ongoing academic pressures or socio-political instability. Chronic stress leads to long-term disruptions in the body's homeostasis (Onuoha & Idemudia, 2020).

Chronic stress is associated with a wide range of health conditions, including cardiovascular disease, metabolic disorders, and mental health issues such as depression and anxiety (Alshammari, 2024). Postgraduate students are particularly vulnerable to chronic stress due to the continuous demands of research, deadlines, and the pressure to perform at high levels. As a result, they may experience persistent cognitive and emotional strain that leads to burnout, reduced cognitive function, and a diminished quality of life.

The Impact of Academic Stress on Cognitive Health and Well-Being

The physiological responses to academic stress are closely linked to changes in cognitive processes, including memory, attention, and emotional regulation. Chronic stress can lead to disruptions in brain function, particularly in areas responsible for learning and

memory, such as the hippocampus. These disruptions impair academic performance, making it difficult for students to concentrate, retain information, and solve complex problems (Chaabane et al., 2021).

Furthermore, chronic stress negatively impacts emotional regulation, contributing to higher levels of anxiety and depression. These psychological effects not only impair academic performance but also reduce overall well-being, leading to decreased life satisfaction and increased vulnerability to mental health disorders (Mangan et al., 2022).

Biochemical Markers of Stress: A Key Link between Psychological Stress and Physiological Responses

Introduction to Biochemical Markers

Biochemical markers play a critical role in understanding the physiological effects of academic stress. These markers are valuable indicators of how the body responds to stress, reflecting internal changes that can influence health outcomes (Zainulabdeen & Sami, 2016). In academic environments, where students face high-pressure situations, such as exams and research deadlines, the body's biochemical responses can reveal the extent to which stress impacts both psychological and physiological well-being. In this section, we explore the key biochemical markers of academic stress, their role in stress response, and their connection to cognitive performance in students, particularly postgraduate students in Iraq (Jafar, 2021).

Cortisol: The Stress Hormone

Cortisol is widely known as the primary "stress hormone" and is one of the most important biochemical markers in stress research. Secreted by the adrenal glands in response to signals from the hypothalamic-pituitary-adrenal (HPA) axis, cortisol plays a key role in the body's response to stress. Its functions include regulating metabolism, immune response, and mood. Cortisol is released in response to stressors, preparing the body for a fight-or-flight response, and is essential for immediate adaptation to stress (Alkozi et al., 2024; Zaman et al., 2024).

1. Acute Stress:

During periods of acute stress, such as exams or project deadlines, cortisol levels spike, supporting the body's immediate need for increased energy, vigilance, and prioritization of vital functions. While this is an adaptive response, ensuring the body can manage the immediate stressor, the effects are short-lived and

typically do not lead to long-term damage (Alanbari et al., 2023).

2. Chronic Stress:

Prolonged exposure to academic stress, particularly in postgraduate students, leads to chronic cortisol elevation. Chronic stress is associated with a range of negative physiological outcomes, including immune suppression, metabolic disturbances, and mental health disorders such as anxiety and depression. In an Iraqi context, studies have shown that postgraduate students are particularly vulnerable to sustained stress due to high academic demands and political instability, which can exacerbate the negative impact of cortisol on health (Johnson et al., 2013).

Impact of Cortisol on Cognitive Performance:

Elevated cortisol levels, particularly during periods of intense academic stress, have been shown to negatively affect cognitive performance (Zaman et al., 2024). This includes impairments in memory, attention, and problem-solving abilities. Students experiencing chronic stress often struggle with recalling information, focusing during lectures, and performing effectively in exams. As observed in studies of both Western and Middle Eastern students, such as in Tikrit College (Al-Bajalani, 2024; Alkozi et al., 2024), cortisol dysregulation is a significant factor in cognitive dysfunction, particularly under high-pressure academic conditions.

Inflammatory Cytokines: IL-6 and TNF- α

Cytokines, such as IL-6 and TNF- α , are proteins involved in the immune response to stress and inflammation. They are released in response to both physical and psychological stress, and their elevated levels can reflect the body's response to sustained stress (Ramphal et al., 2005). These inflammatory markers are important for understanding how stress can affect physical health and contribute to the development of chronic conditions (Vijayaraghava & Doreswamy, 2017).

1. IL-6:

IL-6 is a pro-inflammatory cytokine that increases during both acute and chronic stress. Elevated levels of IL-6 have been associated with increased inflammation, which can affect cognitive processes and mood regulation (Ramphal et al., 2005). In academic settings, Iraqi students under prolonged stress, such as during exams or research deadlines, often show elevated IL-6 levels, which may exacerbate feelings of anxiety and

depression, further impairing academic performance (Vijayaraghava & Doreswamy, 2017).

2. TNF-alpha:

Similar to IL-6, TNF-alpha is another cytokine that plays a role in the body's inflammatory response. Chronic elevation of TNF-alpha has been linked to mental health disorders such as depression and anxiety, which are prevalent among students under academic stress. Prolonged inflammation caused by elevated TNF-alpha may lead to deficits in synaptic plasticity and neurogenesis, contributing to long-term cognitive impairments, including problems with learning and memory (Buchanan, 2015).

Oxidative Stress: An Emerging Biochemical Marker

In addition to cortisol and cytokines, oxidative stress is another key factor in understanding the biochemical basis of stress (Alvarez-Diduk & Galano, 2015). Oxidative stress occurs when the balance between free radicals and antioxidants is disrupted, leading to cellular damage (Patel et al., 2021). This process has been associated with various chronic diseases, including cardiovascular conditions, and may also contribute to cognitive decline and emotional disturbances (Czerska et al., 2015).

1. Oxidative Stress and Academic Stress:

Students exposed to chronic academic stress often show increased oxidative stress, which may impair cellular functions, contributing to fatigue, depression, and cognitive decline (Alvarez-Diduk & Galano, 2015). Studies have indicated that students with high academic stress have elevated levels of oxidative stress markers, such as malondialdehyde (MDA) and superoxide dismutase (SOD), which reflect damage at the cellular level (Czerska et al., 2015).

2. Oxidative Stress and Mental Health:

Increased oxidative stress has been linked to mental health disorders such as anxiety and depression. The chronic activation of the stress response in students leads to persistent oxidative damage, which may impair cognitive function and increase vulnerability to mental health issues. As shown in studies of medical students in Iraq chronic stress exacerbates oxidative damage, which negatively impacts both mental health and academic performance (Alvarez-Diduk & Galano, 2015).

Adrenaline and Noradrenaline: The Fight-or-Flight Response

Adrenaline and noradrenaline, also known as catecholamines, are hormones released by the adrenal

medulla during stress. These hormones are crucial for the body's immediate response to stress, preparing it for a fight-or-flight reaction. While short-term increases in these hormones are necessary for acute stress responses, chronic elevations can contribute to anxiety, insomnia, and hypertension—all of which can negatively affect student health and academic performance (Alvarez-Diduk & Galano, 2015).

The biochemical markers of stress—such as cortisol, IL-6, TNF- α , oxidative stress markers, and catecholamines—are essential in understanding how academic stress affects students' health and performance. The evidence suggests that chronic exposure to academic stress leads to dysregulation of these markers, contributing to cognitive impairments, emotional disturbances, and overall health problems. Future research should focus on developing strategies to mitigate the impact of academic stress by targeting these biochemical markers, with a particular focus on postgraduate students in Iraq and similar contexts.

Psychological and Physiological Impacts of Academic Stress on Students: Challenges and Strategies:

Introduction to Academic Stress

Academic stress is a significant issue that affects students worldwide, particularly postgraduate students in Iraq, where a combination of psychological, social, and economic stressors contribute to a heightened academic environment. These stressors include heavy academic workloads, high expectations from families and society, and financial instability. Research indicates that academic stress not only influences cognitive functions but also leads to profound physiological changes that can be measured using biochemical markers. These changes provide insight into how stress impacts the overall well-being of students (Alshammari, 2024; Onuoha & Idemudia, 2020).

Burnout as a Factor of Academic Exhaustion and Chronic Stress

Academic burnout is a state of severe emotional, mental, and physical exhaustion that arises from prolonged academic pressures. It is often characterized by chronic fatigue, feelings of inefficacy, and detachment from academic tasks, all of which hinder student productivity and mental health. Burnout commonly occurs when the demands on students exceed their ability to cope, particularly in postgraduate education, where balancing academic, research, and personal

responsibilities is difficult. Lack of sufficient support and prolonged stress lead to burnout, impacting cognitive functions and emotional regulation (Chaabane et al., 2021).

The Impact of Academic Stress on Cognitive Health and Well-Being

Academic stress, particularly chronic stress, has profound effects on cognitive health and overall well-being. Research indicates that sustained stress can disrupt brain functions responsible for learning and memory, especially in areas like the hippocampus. This disruption impairs students' ability to retain information, concentrate, and solve complex problems. Additionally, chronic stress leads to emotional dysregulation, contributing to higher levels of anxiety and depression, which further affect academic performance.

Moreover, the interaction between poor quality sleep, psychological stress, and anxiety creates a vicious cycle, where poor sleep exacerbates stress and negatively influences cognitive performance. This cycle, as highlighted in studies on medical students in Fallujah University Al Ani et al., (2024), demonstrates how sleep disturbances and mental health issues further hinder academic success.

Burnout in High-Stakes Programs

For students in high-stakes programs such as medicine, the possibility of burnout is a significant challenge. Burnout, which includes emotional exhaustion, depersonalization, and reduced personal accomplishment, is prevalent among students facing intense academic pressures (Pears, 1989). The factors contributing to burnout are not only academic but also include poor time management, lack of sleep, family support, and external environmental stressors. Studies on medical students in Iraq reveal that burnout is exacerbated by long hours of study, clinical duties, and high academic expectations (Hida, 2021).

Gender-Specific Stressors

In addition to general academic stress, students may face gender-specific challenges. Female students, particularly in high-pressure fields like medicine, report disruptions in their menstrual cycles due to the stress of academic work. These disruptions serve as indicators of the significant impact of academic stress on reproductive health and overall well-being (Jawad & Al-Assaf, 2014).

Exam Anxiety and Its Impact on Cognitive Performance

Another common issue among students is exam anxiety, which is known to trigger physiological responses such as increased heart rate, sweating, and elevated stress markers like cortisol. This anxiety negatively impacts cognitive performance, making it difficult for students to focus, retain information, and perform well on exams (Bailey & Dua, 1999).

The Impact of the COVID-19 Pandemic on Academic Stress

The COVID-19 crisis has added new stressors to student life, including increased anxiety, depression, and the sudden shift to online learning. Many students have struggled with social isolation, health concerns, and uncertainty about their academic futures. The mental health toll of the pandemic on students, especially those in health professions, has been profound. As reported by (Ruiz-Robledillo et al., 2022; Yang et al., 2005) students have faced difficulties adjusting to new learning environments and managing stress during this unprecedented time (Ruiz-Robledillo et al., 2022).

Introduction to Psychological and Neurological Impacts of Academic Stress

Academic stress has a profound effect on both psychological and neurological well-being, particularly for postgraduate students. These effects can manifest as changes in cognitive function, emotional regulation, and even physical health. Academic stressors, including the pressure to perform well, meet deadlines, and juggle academic and personal responsibilities, lead to biochemical and hormonal changes that alter the brain's functioning (Jaber, 2012). These changes can negatively impact mental health, leading to anxiety, depression, and in some cases, Post-Traumatic Stress Disorder (PTSD), while also impairing cognitive functions like memory and concentration. The intricate interaction between these psychological and neurological factors makes understanding the full scope of academic stress essential for developing effective coping strategies (Raza et al., 2020).

Psychological Effects: Anxiety, Depression, and Cognitive Impairments

One of the most noticeable psychological effects of academic stress is the persistent anxiety and nervousness experienced by students. The elevated levels of cortisol, a stress hormone that functions as the body's natural alarm system, interfere with students' ability to prioritize tasks and make clear decisions (Al Ani et al., 2024). As a result, students often find

themselves relying on short-term memory and quick solutions, which impairs their capacity to recall detailed information and perform academic tasks effectively (Alkozi et al., 2024).

Academic stress leads to increased levels of anxiety, which, over time, can contribute to depression. Studies have shown that students under prolonged academic pressure experience an increase in psychological distress, affecting their emotional regulation and overall mental health (Fawzy & Hamed, 2017). The stress-induced release of cortisol in the brain, particularly in regions like the hippocampus (responsible for memory and learning), has been shown to cause neurological changes that hinder cognitive performance.

Neurological Impact: Long-Term Effects of Chronic Stress on the Brain

On a neurological level, chronic academic stress leads to the prolonged activation of the HPA axis, continuously releasing cortisol and other stress hormones. This prolonged exposure to stress hormones has a detrimental effect on the brain's neurons, particularly in areas involved in memory formation, emotional regulation, and decision-making (Arambewela & Hall, 2008; Nguyen et al., 2021). Chronic exposure to cortisol has been linked to atrophy in the hippocampus, leading to memory deficits and decreased cognitive flexibility (Farank Abdoli & Haji-Adineh, 2019). These neurological changes result in academic decline as students find it difficult to recall information, concentrate, and engage in complex problem-solving tasks.

Furthermore, stress hormones like adrenaline and noradrenaline, which are released during stress, influence the neurotransmitter systems that regulate mood and cognitive functions. Chronic stress disrupts these neurotransmitter systems, leading to reduced brain activity in areas associated with reward processing and pleasure (Johnson et al., 2013). This phenomenon contributes to depression and anxiety, making it more challenging for students to focus on academic tasks or find enjoyment in activities they once found rewarding (Ansari et al., 2025).

The Vicious Cycle of Stress, Sleep Disturbances, and Cognitive Decline

Academic stress is not only psychological but also manifests physically in the form of sleep disturbances and neurohormonal imbalances. Poor quality sleep,

which is often a consequence of stress and anxiety, creates a vicious circle, where lack of rest exacerbates stress and further impairs cognitive function. This cycle has been shown to negatively affect both sleep quality and academic performance (Al Ani et al., 2024). Chronic lack of sleep, coupled with persistent stress, compromises cognitive abilities such as memory recall, focus, and decision-making, which are critical for academic success (M. M. Ahmed et al., 2024).

6: Comparison Between the Situation of Graduate Students in Iraq and Abroad Regarding the Psychological and Neurological Impacts of Academic Stress

Introduction

Academic stress is a pervasive challenge for graduate students worldwide. The effects of stress on students' psychological and neurological well-being are critical in understanding how academic pressures impact cognitive functions, emotional health, and overall academic performance. This chapter explores the differences in how graduate students in Iraq and their counterparts in developed countries experience and cope with academic stress. The comparison covers psychological effects, neurological impacts, support systems, and stress management strategies, highlighting the significant role of institutional support in mitigating the consequences of stress.

Psychological Effects of Academic Stress

A Comparative Analysis

In developed countries, universities recognize the importance of mental health support and have established comprehensive programs to address the psychological effects of academic stress. Students in these countries benefit from a wide range of resources, including counseling services, peer support networks, and stress management workshops. These support systems help students cope with anxiety, depression, and other stress-induced psychological issues, providing a holistic approach to managing the mental health challenges that arise during graduate studies (Akhtar & Shaheen, 2024).

However, in Iraq, mental health resources for graduate students are limited and scarce. According to Zakaria et al., (2021) graduate students in Iraq often experience higher levels of stress, anxiety, and depression compared to their counterparts in the developed world, yet they have minimal access to formal psychological support. This lack of support leaves

students more vulnerable to the negative impacts of academic stress, which may affect their mental and academic well-being.

The psychological health of students in Iraq is further compromised by the cultural stigma surrounding mental health issues. Seeking professional help for mental health problems is often considered a sign of weakness, and as point out, this stigma prevents many students from accessing the help they need, increasing the psychological burden of academic stress (Mohammed, 2016).

Neurological Effects of Academic Stress: Contrasting Situations

In developed countries, the neurological impact of academic stress is a well-researched area, with numerous studies investigating how chronic stress affects the brain's biochemical and neurophysiological functions. The release of cortisol and other stress hormones such as adrenaline plays a crucial role in the body's response to stress. Prolonged exposure to high cortisol levels can lead to neuronal damage, particularly in areas of the brain responsible for memory and cognitive flexibility, such as the hippocampus .(M. M. Ahmed et al., 2024; Salimzadeh et al., 2017).

In contrast, research in Iraq on the neurological effects of academic stress is more limited due to a lack of advanced medical research facilities and research funding. As Zainulabdeen & Sami, (2016) discuss, while some studies have been conducted on the biochemical parameters of stress in Iraqi students, the lack of state-of-the-art equipment and adequate funding limits the scope and depth of the research. This disparity in research infrastructure results in a knowledge gap regarding the neurological implications of academic stress among Iraqi students, slowing down the development of effective neurological interventions.

The HPA axis and its role in stress-induced neurobiological changes is not explored in-depth in Iraq due to these limitations. However, the findings from Iraqi studies that investigate the role of cortisol in academic stress such as Al-Bajalani, (2024) can provide important preliminary data for further research in this area.

Stress Management and Coping Mechanisms: Comparative Insights

Graduate students in developed countries benefit from well-established coping strategies integrated into their academic environments. Universities in these

countries emphasize the importance of mental health and stress management, providing students with access to academic counseling, time management workshops, and peer support groups. These programs aim to reduce the psychological burden of academic stress and help students develop effective strategies for managing pressure (Al-Bajalani, 2024; Hasan et al., 2022).

In Iraq, however, stress management resources are minimal. As H. M. Ahmed et al., (2024) notes, while informal support networks sometimes form among students, universities generally do not have structured programs in place to assist students in managing academic stress. The lack of institutional support exacerbates the negative effects of stress on students' mental health, leading to a higher risk of burnout, anxiety, and depression. Al-Bajalani, (2024) further emphasizes that the absence of formal stress management programs in Iraq makes students more vulnerable to the effects of academic stress compared to their counterparts abroad.

Academic Environment and Social Support: Contrasting Experiences

The academic climate in developed countries encourages students to maintain a healthy balance between academic responsibilities and personal well-being. Students are encouraged to take breaks, pursue extracurricular activities, and prioritize their mental health. This balance helps to alleviate the effects of academic stress and prevent burnout (Agha, 2014).

In Iraq, the academic pressure is often overwhelming, with little time for students to relax or engage in self-care. As Tinnes, (2024) point out, Iraqi students face immense academic pressure due to high expectations, limited time, and a lack of support, which leads to chronic stress and mental fatigue. This lack of balance between academic and personal life makes it harder for students to manage the psychological toll of academic stress.

Moreover, cultural influences in Iraq play a significant role in how students deal with academic stress. In developed countries, mental health is openly discussed, and students are encouraged to seek help without fear of judgment. However, in Iraq, mental health stigma often prevents students from accessing the support they need, which worsens the impact of academic stress on their well-being (Chaabane et al., 2021).

7: Future Vision and Recommendations for Addressing Academic Stress in Graduate Students in Iraq

Graduate students in Iraq are particularly vulnerable to the psycho-neurological effects of academic stress, which negatively impact their mental health, cognitive function, and overall academic performance. To address these issues, there must be targeted interventions aimed at improving academic quality, promoting mental health support, and fostering greater awareness of mental health concerns. Effective stress management can help mitigate the detrimental effects of academic pressure, which are often compounded by a lack of institutional support, social stigma surrounding mental health, and limited resources for psychological care. The following section outlines a comprehensive vision for the future, highlighting essential recommendations that align with evidence-based practices and the insights derived from both local and global studies (Chaabane et al., 2021; Zaman et al., 2024).

To alleviate academic stress and enhance the overall academic experience, curricula should be revised to foster critical thinking and independent thought, rather than focusing solely on content delivery. Encouraging a quality over quantity approach will allow students to engage more deeply with their studies, reducing the stress induced by an excessive workload. As noted in studies from developed countries, students who experience an academic environment that promotes intellectual curiosity, creativity, and autonomy are more likely to experience positive psychological outcomes (Saadi et al., 2023).

Develop curricula that encourage critical thinking and independent thought. This allows students to feel more in control of their learning, reducing the pressure often associated with rote memorization. Reduce academic pressures by focusing on quality of knowledge rather than quantity, creating a more sustainable academic workload that promotes long-term well-being.

Providing a Supportive Educational Environment

A key factor in reducing academic stress is fostering a supportive educational environment. In developed countries, universities have established environments that encourage collaboration, open dialogue, and mental health awareness. Students should feel comfortable discussing both academic and psychological challenges without fear of judgment. The mental health stigma prevalent in many parts of Iraq, including university settings, inhibits students from seeking the support they need. As emphasized in studies by Al Ani et al., (2024),

overcoming this stigma is crucial for improving student mental health. (Al Ani et al., 2024).

Create an inclusive learning environment that promotes collaboration and open dialogue, where students feel safe to express their academic and emotional challenges. Offer institutional support for students to address academic and psychological difficulties, ensuring they are not facing these challenges alone.

There is a pressing need for increased research into the psychological and neurological effects of academic stress. While there is some research on the topic in Iraq, the lack of funding and research infrastructure limits the depth of understanding. Comparative studies, such as Zaman et al., (2024) have shown how chronic exposure to stress affects cognitive functions and contributes to neurological impairments, yet similar research within Iraq remains scarce.

Increase funding for research projects that focus on the psychological and neurological effects of academic stress in Iraq, as well as the development of data-driven solutions. Establish a research agenda to explore these impacts in greater detail, particularly focusing on graduate students, and ensuring findings are applied to inform institutional policies and student support structures.

Universities should prioritize the establishment of psychological support centers to help students cope with academic stress. These centers should provide counseling services specifically designed to address the unique challenges faced by graduate students. In countries with robust mental health support systems, the availability of on-campus counseling has been linked to better psychological outcomes for students (Al Ani et al., 2024). However, in Iraq, such services are limited and often unavailable at the institutional level.

Set up counseling centers at universities to address academic stress and mental health issues. These centers should be staffed by professionals trained to support students in both academic and personal challenges. Ensure that these services are easily accessible to all students and are tailored to meet the needs of postgraduate students, who often face additional pressures.

Faculty members and academic researchers play a crucial role in identifying signs of academic stress and providing support. However, in many universities,

faculty members may lack the training to recognize when students are struggling with stress, anxiety, or burnout. Training faculty to recognize signs of academic stress and provide support can improve student well-being significantly. [Al-Wasidi et al., \(2020\)](#) emphasize the importance of faculty involvement in mental health awareness and stress management. [\(Al-Wasidi et al., 2020\)](#). Provide training for faculty on recognizing signs of stress and burnout among students, ensuring they are equipped to support students experiencing academic pressure. Offer resources and workshops to help faculty understand the psychological needs of graduate students, enabling them to provide appropriate support.

There is a need for greater awareness of mental health and its importance in graduate education. In many regions, including Iraq, mental health issues are often stigmatized, preventing students from seeking the help they need. Awareness campaigns and education about the importance of mental health can help reduce this stigma and encourage students to take care of their psychological well-being. [\(Czerska et al., 2015\)](#). Conduct awareness campaigns to reduce stigma surrounding mental health, focusing on the importance of seeking help for stress and psychological challenges. Distribute information about stress management techniques and provide resources on how students can access support when necessary.

Ensuring that students have access to affordable and specialized health resources is crucial in addressing the neurological and psychological impacts of academic stress. Providing specialized health services that are easily accessible ensures that students can seek professional help before issues escalate [\(Al Ani et al., 2024\)](#).

Ensure access to affordable psychological and neurological treatments for students, including counseling and mental health services. Offer specialized health services for graduate students, ensuring these services are accessible and affordable, particularly for those experiencing high levels of academic stress.

In this review, we have explored the psychological and neurological impacts of academic stress on graduate students, particularly focusing on students in Iraq compared to their counterparts in developed countries. Academic stress is a complex and multifaceted challenge, with significant consequences for both mental health and cognitive performance. We examined how stress leads to

biochemical changes, such as elevated cortisol levels, and how these changes affect neurological functioning, including memory and learning.

The review highlighted the disparities between developed countries and Iraq in terms of mental health support, stress management resources, and institutional approaches to coping with academic pressure. While students in developed countries benefit from comprehensive support systems, such as counseling services and stress management programs, students in Iraq face limited resources and social stigma, which exacerbate the psychological and neurological toll of academic stress.

To mitigate the negative impacts of academic stress, this review proposes several key recommendations, including the establishment of psychological support centers, the development of holistic support systems within academic institutions, and increased funding for research into the biological consequences of academic stress. Ensuring that mental health services are accessible, reducing the stigma surrounding mental health, and training faculty to identify and support stressed students are crucial steps in promoting student well-being.

In conclusion, addressing academic stress in graduate students requires a multifaceted approach that integrates psychological support, research, and institutional reforms to create a supportive environment. This review underscores the need for ongoing efforts to improve mental health resources, reduce stigma, and foster academic environments that prioritize students' overall well-being in Iraq and globally.

Acknowledgments

The authors express their gratitude and appreciation to all participants.

Declaration of Interest

The authors of this article declared no conflict of interest.

Ethical Considerations

The study protocol adhered to the principles outlined in the Helsinki Declaration, which provides guidelines for ethical research involving human participants.

Ethical considerations in this study were that participation was entirely optional.

Transparency of Data

In accordance with the principles of transparency and open research, we declare that all data and materials used in this study are available upon request.

Funding

This research was carried out independently with personal funding and without the financial support of any governmental or private institution or organization.

Authors' Contributions

All authors equally contribute to this study.

References

Agha, T. H. A. K. (2014). *Ethnic Identity and Culture in Foreign Language Motivation: EFL for Kurdish and Arabic Students in Iraqi Higher Education* Center for Language Technology, Faculty of Humanities, University of Copenhagen]. <https://researchprofiles.ku.dk/da/publications/ethnic-identity-and-culture-in-foreign-language-motivation-efl-fo/>

Ahmed, H. M., Alkhateeb, N. E., Shabila, N. P., & Ahmad, A. A. (2024). Research practice, satisfaction, motivation, and challenges among university academics in Kurdistan Region of Iraq. *Plos one*, 19(4), e0302540. <https://doi.org/10.1371/journal.pone.0302540>

Ahmed, M. M., Ibrahim, R. M., & Younis, N. M. (2024). Assessment of Sleep Habits among Nursing Students in Mosul City/Iraq. *Journal of Current Medical Research and Opinion*, 7(05), 2420-2429. <https://doi.org/10.52845/CMRO/2024/7-5-3>

Akhtar, Z., & Shaheen, G. (2024). A Comparative Study of Stress and Well-being among College Students. *Indian Journal of Health & Wellbeing*, 15(2). https://openurl.ebsco.com/EPDB%3Agcd%3A9%3A28453177/detailv2?sid=ebsco%3Aplink%3Ascholar&id=ebsco%3Agcd%3A178493250&crl=c&link_origin=scholar.google.com

Al-Ayadhi, L. Y. (2005). Neurohormonal changes in medical students during academic stress. *Annals of Saudi medicine*, 25(1), 36-40. <https://doi.org/10.5144/0256-4947.2005.36>

Al-Bajalani, H. A.-S. J. (2024). Effect of examination stress on some biochemical indices in Tikrit College students. *International Journal of Medicine and Health*, 3(1), 79-87. <https://doi.org/10.55606/ijmh.v3i1.3074>

Al-Nimer, M. S. (2010). Measuring mental health following the 6-year American invasion of Iraq. A general health questionnaire analysis of Iraqi medical and dentistry students. *Neurosciences Journal*, 15(1), 27-32. <https://nsj.org.sa/content/15/1/27.short>

Al-Wasidi, A. S., El-Ghaffar, A., Haytham, A., Naglah, A. M., Kalmouch, A., Hamed, M., & Moustafa, G. (2020). Effect of density on growth hormone and some physiological parameters and its relation to growth performance. *Egyptian Journal of Chemistry*, 63(4), 1575-1584. <https://doi.org/10.21608/ejchem.2020.21105.2258>

Al Ani, H. M., Al Shawi, A. F., Lafta, R. K., Abdulqadir, O., Nadhim, S., & Abdulkarim, S. (2024). Influence of stress, anxiety, and depression on sleep quality and academic performance of medical students in Fallujah University, Iraq. *International Journal of Social Psychiatry*, 70(4), 772-777. <https://doi.org/10.1177/00207640241229381>

Al Shawi, A. F., Abdullateef, A. N., Khedher, M. A., Rejab, M. S., & Khaleel, R. N. (2018). Assessing stress among medical students in Anbar governorate, Iraq: a cross-sectional study. *Pan African Medical Journal*, 31(1). <https://doi.org/10.11604/pamj.2018.31.96.16737>

Alanbari, B. F., Juboori, M. J. A., & Alghazali, M. W. (2023). Dental Environment Stress Among Iraqi Students: A Qualitative Study. *Journal of Emergency Medicine, Trauma & Acute Care*, 2023(3), 3. <https://doi.org/10.5339/jemtac.2023.mdc.3>

Alkozi, H. A., Alhudhayf, H. A., & Alawad, N. M. A. (2024). Association between dry eye disease with anxiety and depression among medical sciences students in Qassim region: cortisol levels in tears as a stress biomarker. *Journal of Multidisciplinary Healthcare*, 4549-4557. <https://doi.org/10.2147/JMDH.S488956>

Alshammari, W. K. (2024). *Test anxiety: a comparative study of post-graduate taught students in the UK and Saudi Arabia* University of Glasgow. <https://10.5525/gla.thesis.84476>

Alvarez-Diduk, R., & Galano, A. (2015). Adrenaline and noradrenaline: protectors against oxidative stress or molecular targets? *The Journal of Physical Chemistry B*, 119(8), 3479-3491. <https://doi.org/10.1021/acs.jpcb.5b00052>

Ansari, S., Khan, I., & Iqbal, N. (2025). Association of stress and emotional well-being in non-medical college students: A systematic review and meta-analysis. *Journal of Affective Disorders*, 368, 200-223. <https://doi.org/10.1016/j.jad.2024.09.029>

Arambewela, R., & Hall, J. (2008). A model of student satisfaction: International postgraduate students from Asia. *European advances in consumer research*, 8(1), 129-135. <http://www.acrwebsite.org/volumes/13925/eacr/vol8/E-08>

Bailey, F. J., & Dua, J. (1999). Individualism—collectivism, coping styles, and stress in international and Anglo-Australian students: A comparative study. *Australian Psychologist*, 34(3), 177-182. <https://doi.org/10.1080/00050069908257451>

Buchanan, S. A. (2015). *The Effect of Biglycan on TNF-alpha Signaling and Innervation in the Intervertebral Disc*. Rush University. <https://www.proquest.com/openview/590423e80d49841edd5a4cbc88deabf7/1?pq-origsite=gscholar&cbl=18750>

Chaabane, S., Chaabna, K., Bhagat, S., Abraham, A., Doraiswamy, S., Mamtani, R., & Cheema, S. (2021). Perceived stress, stressors, and coping strategies among nursing students in the Middle East and North Africa: an overview of systematic reviews. *Systematic reviews*, 10(1), 136. <https://doi.org/10.1186/s13643-021-01691-9>

Czerska, M., Mikołajewska, K., Zieliński, M., Gromadzińska, J., & Wąsowicz, W. (2015). Today's oxidative stress markers. *Medycyna Pracy*, 66(3). <https://doi.org/10.13075/mp.5893.00137>

Faranak Abdoli, S. R., & Haji-Adineh^o, S. (2019). The Effect of Cognitive-Behavioral Stress Management Training on Psychological Health and Stress among Parents of Mentally Disabled Children. *Culture*, 6(3), 152-159. <https://www.kusadasipsikolog.com/assets/pdf/1.pdf>

Fawzy, M., & Hamed, S. A. (2017). Prevalence of psychological stress, depression and anxiety among medical students in

Egypt. *Psychiatry research*, 255, 186-194. <https://doi.org/10.1016/j.psychres.2017.05.027>

Ghafoor, A., & Haar, J. (2022). Does job stress enhance employee creativity? Exploring the role of psychological capital. *Personnel Review*, 51(2), 644-661. <https://doi.org/10.1108/PR-08-2019-0443>

Hasan, A. A., Ali, D. H., Abd Zaid, Z. A., & Washeel, O. F. (2022). Exploring the Factors Creating Happiness Among Students of Iraq: Mediating Effect of Life Satisfaction. *Eurasian Journal of Educational Research (EJER)*(100). DOI: <https://doi.org/10.14689/ejer.2022.100.016>

Hida, R. M. (2021). *School and Educational Psychology in the Arab World: A Mixed Methods Study Examining Publication Trends and Research Practices of Arab Scholars*. North Carolina State University. <https://www.proquest.com/openview/6e9a61634d30ea653ca179aae0b0fc48/1?pq-origsite=gscholar&cbl=18750&diss=y>

Jaber, S. S. (2012). *Developing a self-help guide for traumatised university students in Iraq* [University of Nottingham]. <https://eprints.nottingham.ac.uk/id/eprint/12565>

Jafar, H. (2021). *Internationalization of Higher Education and Imported Universities in Post-conflict Iraq through a Policy Borrowing Lens*. University of Toronto (Canada). <https://doi.org/10.3102/1897304>

Jawad, S. N., & Al-Assaf, S. I. (2014). The higher education system in Iraq and its future. *International Journal of Contemporary Iraqi Studies*, 8(1), 55-72. https://doi.org/10.1386/ijcis.8.1.55_1

Johnson, T. V., Abbasi, A., & Master, V. A. (2013). Systematic review of the evidence of a relationship between chronic psychosocial stress and C-reactive protein. *Molecular diagnosis & therapy*, 17(3), 147-164. <https://doi.org/10.1007/s40291-013-0026-7>

Khan, M., Pervez, S. K., Gaddam, R. P., Aiswarya, R., Abrar Basha, M., Malas, A., Haque, S., & Ahmad, F. (2024). Mind matters: exploring the intersection of psychological factors and cognitive abilities of university students by using ANN model. *Neuropsychiatric disease and treatment*, 137-148. <https://doi.org/10.2147/NDT.S436975>

Mangan, R. J., Alsina, F. C., Mosti, F., Sotelo-Fonseca, J. E., Snellings, D. A., Au, E. H., Carvalho, J., Sathyan, L., Johnson, G. D., & Reddy, T. E. (2022). Adaptive sequence divergence forged new neurodevelopmental enhancers in humans. *Cell*, 185(24), 4587-4603. e4523. <https://doi.org/10.1016/j.cell.2022.10.016>

Maslach, C., & Leiter, M. P. (2017). Understanding burnout: New models. *The handbook of stress and health: A guide to research and practice*, 36-56. <https://doi.org/10.1002/9781118993811.ch3>

Mohammed, Q. (2016). Academic-Related Stress and Responses of Nursing College Students in Baghdad University. *IOSR Journal of Nursing and health Science*, 5(2), 63-69. DOI: <https://doi.org/10.9790/1959-05216369>

Mohammed, Q., & Sajit, K. (2016). Stress and its associated factors among students of the College of Nursing University of Baghdad. *Iraqi National Journal of Nursing Specialties*, 29, 30-37. <https://doi.org/10.58897/injns.v29i2.252>

Nguyen, L. D., Chau, R. K., & Krichevsky, A. M. (2021). Small molecule drugs targeting non-coding RNAs as treatments for Alzheimer's disease and related dementias. *Genes*, 12(12), 2005. <https://doi.org/10.3390/genes12122005>

Onuoha, C. U., & Idemudia, E. S. (2020). Academic demands and mental health among undergraduate students in full-time employment: the moderating role of perceived social support. *Journal of Psychology in Africa*, 30(2), 89-95. <https://doi.org/10.1080/14330237.2020.1712805>

Patel, R., Kaur, K., & Singh, S. (2021). Protective effect of andrographolide against STZ induced Alzheimer's disease in experimental rats: possible neuromodulation and A β (1-42) analysis. *Inflammopharmacology*, 29(4), 1157-1168. <https://doi.org/10.1007/s10787-021-00843-6>

Pears, E. (1989). *An Enquiry into the Influence of Coping Styles And Locus of Control on Psychiatric Adjustment to Stress in British and Arab Students* The University of Manchester (United Kingdom)]. <https://www.proquest.com/openview/470d55f09a9f23b15a3c079823ab4e83/1?pq-origsite=gscholar&cbl=2026366&diss=y>

Ramphal, R., Balloy, V., Huerre, M., Si-Tahar, M., & Chignard, M. (2005). TLRs 2 and 4 are not involved in hypersusceptibility to acute *Pseudomonas aeruginosa* lung infections. *The Journal of Immunology*, 175(6), 3927-3934. <https://doi.org/10.4049/jimmunol.175.6.3927>

Raza, S. A., Qazi, W., Umer, B., & Khan, K. A. (2020). Influence of social networking sites on life satisfaction among university students: a mediating role of social benefit and social overload. *Health Education*, 120(2), 141-164. <https://doi.org/10.1108/HE-07-2019-0034>

Ruiz-Robledillo, N., Vela-Bermejo, J., Clement-Carbonell, V., Ferrer-Cascales, R., Alcocer-Bruno, C., & Albaladejo-Blázquez, N. (2022). Impact of COVID-19 pandemic on academic stress and perceived classroom climate in Spanish university students. *International Journal of Environmental Research and Public Health*, 19(7), 4398. <https://doi.org/10.3390/ijerph19074398>

Saadi, R. K., Salman, S. T., Hassuby, S. F., & Adnaan, H. D. (2023). Effect of educational stress on menstrual cycle in female medical students studied in College of Medicine/Diyala Universities comparing with non-medical students in other colleges. *Journal of Natural Science, Biology and Medicine*, 14(1), 64. <https://jnsbm.org/menuscript/index.php/submissions/article/view/201>

Salahuddin, P., Fatima, M. T., Abdelhameed, A. S., Nusrat, S., & Khan, R. H. (2016). Structure of amyloid oligomers and their mechanisms of toxicities: Targeting amyloid oligomers using novel therapeutic approaches. *European journal of medicinal chemistry*, 114, 41-58. <https://doi.org/10.1016/j.ejmech.2016.02.065>

Salimzadeh, R., Saroyan, A., & Hall, N. C. (2017). Examining the factors impacting academics' psychological well-being: A review of research. *International Education Research*, 5(1), 13-44. <https://doi.org/10.12735/ier.v5n1p13>

Tinnes, J. (2024). Terrorism and Education. *Perspectives on Terrorism*, 18(2), 151-196. <https://doi.org/10.19165/2024.1988>

Vijayaraghava, A., & Doreswamy, V. (2017). Exercise and the cytokines-interleukin-6 (IL-6) and tumor necrosis factor-alpha (TNF-alpha): A review: Exercise and the cytokines, IL-6, TNF-alpha. *Annals of Medical Physiology*, 1(1), 3-8. <https://doi.org/10.23921/amp.2017v1i1.263485>

Yang, F., Lim, G. P., Begum, A. N., Ubeda, O. J., Simmons, M. R., Ambegaokar, S. S., Chen, P. P., Kayed, R., Glabe, C. G., & Frautschy, S. A. (2005). Curcumin inhibits formation of amyloid β oligomers and fibrils, binds plaques, and reduces amyloid in vivo. *Journal of Biological Chemistry*, 280(7), 5892-5901. <https://doi.org/10.1074/jbc.M404751200>

Zainulabdeen, J. A., & Sami, M. M. (2016). Evaluation of selected biochemical parameters in sera of Iraqi academic students. *Advances in Environmental Biology*, 10(6), 103-110. <https://ijbmc.org/index.php/ijbmc/article/view/1054>

Zakaria, M. Z., Aziz, A. R. A., Shukor, N. M., Othman, M. F., & Hamid, M. A. A. (2021). Coping mechanism towards

academic stress among students: an analysis from Islamic perspective. *Ulum Islamiyyah*, 33(1), 31-53. doi: <https://doi.org/10.33102/ujij.vol33no1.194>

Zaman, B. A., Rasool, S. O., Sabri, S. M., Dhahir, D. M., Rasheed, E. A., Ahmed, G. M., Hussein, M. A., & Tegir, Z. A. (2024). Investigating serum cortisol dynamics and cardiovascular impacts amid university exam stress: a pre-post cohort study. *Acta Cardiologica Sinica*, 40(6), 781. doi: [https://10.6515/ACS.202411_40\(6\)](https://10.6515/ACS.202411_40(6))