


Article type:  
Original Research

Ph.D., Davao del Sur State College, Philippines.

# Psychotherapy as Epigenetic Medicine: A Commentary on Emerging Evidence

Jeric Anthony S. Arnado 

Corresponding author email address:  
jericanthonyarnado@gmail.com



## ABSTRACT

Farzanegan's (2022) editorial introduces the concept of psychotherapy as "epigenetic medicine," proposing that therapeutic interventions can modify underlying mental and cultural patterns ("memes") with potential biological effects. This commentary contextualizes the editorial within current research on epigenetic mechanisms and neuroplasticity in mental health treatment. Evidence indicates that epigenetic processes influence gene expression and neuroplasticity, contributing to recovery from mood disorders and major depression. Psychotherapy has also been associated with measurable epigenetic changes, although variability across therapeutic modalities presents challenges for empirical investigation. While preliminary findings are promising, further research is needed to identify specific epigenetic biomarkers corresponding to distinct psychotherapeutic interventions. Bridging psychotherapy, neuroscience, and molecular biology could advance mechanistic understanding and improve clinical outcomes.

**Keywords:** Psychotherapy, epigenetics, mental health.

## Article history:

Received 23 Jan 2026  
Revised 28 Feb 2026  
Accepted 12 March 2026  
Published online 01 Apr 2026

## How to cite this article:

Arnado, J. A. S. (2026). Psychotherapy as Epigenetic Medicine: A Commentary on Emerging Evidence. *International Journal of Body, Mind and Culture*, 13(4), 1–2.



© 2025 the authors. This is an open-access article under the terms of the Creative Commons Attribution-NonCommercial 4.0 International (CC BY-NC 4.0) License.

Farzanegan's (2022) editorial proposes an innovative conceptualization of psychotherapy as a form of "epigenetic medicine," suggesting that therapeutic interventions may alter underlying mental and cultural patterns, or "memes," with potential biological consequences. This perspective aligns with emerging research highlighting the intersection between psychotherapy, neuroplasticity, and epigenetic mechanisms in mental health treatment.

Recent studies have underscored the critical role of epigenetic processes in psychological disorders. McGowan & Kato (2008) demonstrated that epigenetic mechanisms, by altering chromatin structure and regulating gene expression, are vital in the treatment of mood disorders. These mechanisms contribute to neuroplasticity—the brain's capacity to remodel through processes such as synapse formation, dendritic remodeling, axonal sprouting, pruning, and neurogenesis—which in turn facilitates recovery from mental illness (DeCarolis & Eisch, 2010; Kays et al., 2012). Moreover, epigenetic modifications have been implicated in major depression, particularly through genes associated with the hypothalamic-pituitary-adrenal axis and the neurotrophin system, influencing both etiopathogenesis and treatment outcomes (Czarny et al., 2021; Menke, 2013).

Psychotherapy itself has been investigated in the context of epigenetic change. Syed & Zannas (2021) reported that measurable epigenetic modifications in peripheral blood sometimes accompany symptom reduction following psychotherapy. Stahl (2019), as cited in Kroflin & Zannas (2024), conceptualized psychotherapy as an "epigenetic drug," capable of influencing neurobiological circuits that manifest clinically. However, the heterogeneity of psychotherapeutic approaches presents a challenge for research in this domain. Interventions differ in theoretical background, methods, and treatment plans—ranging from Cognitive Behavioral Therapy, exposure therapy, and mindfulness-based interventions to disorder-specific approaches such as Dialectical Behavior Therapy. Evidence for epigenetic changes in other psychotherapies, including psychodynamic, systemic, schema, and newer approaches such as Acceptance and Commitment Therapy and interpersonal therapy, remains limited (Cuijpers et al., 2014; Hayes et al., 2011; Kroflin & Zannas, 2024; Wells, 2002).

Farzanegan's (2022) editorial is timely and thought-provoking, highlighting a conceptual bridge between psychotherapy and epigenetics. To advance the field, future research should focus on empirical validation, identifying specific epigenetic biomarkers associated with distinct psychotherapeutic interventions and examining their clinical relevance. Integrating neuroscience, molecular biology, and psychotherapy could not only refine treatment approaches but also provide mechanistic insights into mental health recovery.

## References

- Cuijpers, P., Karyotaki, E., Weitz, E., Andersson, G., Hollon, S. D., & Van Straten, A. (2014). The effects of psychotherapies for major depression in adults on remission, recovery, and improvement: a meta-analysis. *Journal of Affective Disorders*, *159*, 118–126. <https://doi.org/10.1016/j.jad.2014.02.026>
- Czarny, P., Białek, K., Ziolkowska, S., Talarowska, M., & Śliwiński, T. (2021). Epigenetics in depression. In *The Neuroscience of Depression* (pp. 3–13). Elsevier. <https://doi.org/10.1016/B978-0-12-817935-2.00029-5>
- DeCarolis, N. A., & Eisch, A. J. (2010). Hippocampal neurogenesis as a target for the treatment of mental illness: a critical evaluation. *Neuropharmacology*, *58*(6), 884–893. <https://doi.org/10.1016/j.neuropharm.2009.12.013>
- Farzanegan, M. (2022). Psychotherapy as epigenetic medicine: How to change the memes. *International Journal of Body, Mind and Culture*, *9*(2), 61–62. <https://doi.org/10.22122/ijbmc.v9i2.429>
- Hayes, S. C., Strosahl, K. D., & Wilson, K. G. (2011). *Acceptance and commitment therapy: The process and practice of mindful change*. Guilford Press. <https://psycnet.apa.org/record/2012-00755-000>
- Kays, J. L., Hurley, R. A., & Taber, K. H. (2012). The dynamic brain: neuroplasticity and mental health. *The Journal of neuropsychiatry and clinical neurosciences*, *24*(2), 118–124. <https://doi.org/10.1176/appi.neuropsych.12050109>
- Kroflin, K., & Zannas, A. S. (2024). Epigenetic Regulation in Psychosomatics and Psychotherapy. *American Journal of Psychotherapy*, *77*(4), 173–179. <https://doi.org/10.1176/appi.psychotherapy.20230061>
- McGowan, P. O., & Kato, T. (2008). Epigenetics in mood disorders. *Environmental Health and Preventive Medicine*, *13*(1), 16–24. <https://doi.org/10.1007/s12199-007-0002-0>
- Menke, A. (2013). Gene expression: biomarker of antidepressant therapy? *International Review of Psychiatry*, *25*(5), 579–591. <https://doi.org/10.3109/09540261.2013.825580>
- Stahl, S. M. (2019). Biological Psychiatry and Psychopharmacology. *Psychobiology of Behavior*, *397*. [https://doi.org/10.1007/978-3-030-18323-3\\_13](https://doi.org/10.1007/978-3-030-18323-3_13)
- Syed, S. A., & Zannas, A. S. (2021). Epigenetics in psychotherapy. In *Epigenetics in psychiatry* (pp. 701–709). Elsevier. <https://doi.org/10.1016/B978-0-12-823577-5.00015-5>
- Wells, A. (2002). *Emotional disorders and metacognition: Innovative cognitive therapy*. John Wiley & Sons. <https://doi.org/10.1002/9780470713662>