

Article type:
Original Research

1 Medicine Department, College of Medicine, University of Babylon. Babylon, Iraq.
2 Senior Specialist, Psychiatry, F.I.B.M.S Psych. Imam Sadiq Hospital, Department of Psychiatry, Babylon Health Directorate, Babylon, Iraq.
3 Medicine Department, College of Medicine, University of Babylon. Babylon, Iraq.

Corresponding author email address: rhamzeh@yandex.com



Article history:

Received 21 May 2025
Revised 14 June 2025
Accepted 24 June 2025
Published online 01 Aug 2025

How to cite this article:

Al-Yasiri, M. M., AL-GBURI, R. H., & AlAmeedy, W. A. (2025). The effectiveness of positive psychology in improving resilience among patients with cardiovascular diseases. *International Journal of Body, Mind and Culture*, 12(5), 122-130.



© 2025 the authors. This is an open-access article under the terms of the Creative Commons Attribution-NonCommercial 4.0 International (CC BY-NC 4.0) License.

Introduction

The escalating prevalence of cardiovascular diseases (CVD) presents a significant obstacle to worldwide health progress. These diseases accounted for a third of all global fatalities, a total of 18.1 million deaths, with a disproportionate 79.3% occurring in low and middle-income nations (Changi Ashtiani et al., 2024; Goli, 2024;

The Effectiveness of Positive Psychology in Improving Resilience Among Patients with Cardiovascular Diseases

Maytham M. Al-Yasiri¹, ROA'A HAMZAH. AL-GBURI^{2*}, Waleed Azeez. AlAmeedy³

ABSTRACT

Objective: This study aims to investigate the potential of positive psychology interventions (PPIs) to enhance the resilience of CVD patients.

Methods and Materials: This quasi-experimental study utilized pre-test and post-test evaluations, a control group, and a one-month follow-up assessment. The sample comprised 50 male patients diagnosed with CVD, purposively selected from the Baghdad Teaching Hospital in 2023. The participants were randomly divided into two groups (25 people in each group). Resilience was measured using the Connor-Davidson Resilience Scale (Connor & Davidson, 2003). For data analysis, repeated measure analysis of variance and Bonferroni post-hoc test were used (SPSS 26 software).

Findings: Repeated measures ANOVA indicated a significant time*group interaction effect ($p < 0.001$, $\eta^2 p = 0.65$). The intervention group had significantly higher resilience scores at post-test ($p < 0.001$) and follow-up ($p < 0.001$) compared to pre-test. At the same time, no significant differences were found across time points for the control group ($p > 0.05$). The intervention group showed significantly higher resilience than the control group at post-test ($p < 0.001$) and follow-up ($p < 0.001$), but not at pre-test ($p > 0.05$).

Conclusion: The study demonstrated the effectiveness of PPIs in significantly improving the resilience of patients with CVD. These findings suggest the potential of incorporating psychological interventions in medical treatment to enhance patient well-being and quality of life. Future research should focus on expanding demographic diversity and exploring the long-term effects of PPIs in various stages of CVD.

Keywords: Cardiovascular Diseases, Psychological Resilience, Positive Psychology, Mental Health

Nazari et al., 2023; Powell-Wiley et al., 2022; Qiu & Piskorz-Ryń, 2024; Townsend et al., 2022). The expectation is that the incidence of CVD will continue to surge over the coming two decades (Jyotsna et al.; Saadati & Rezazadeh, 2024).

While there has been a decline in mortality rates associated with CVD in recent years, a myriad of factors, including physical, psychological, social, environmental,

and dietary aspects, still contribute to these diseases, often leading to death or disability (Münzel et al., 2022). Patients with heart failure, a common outcome of CVD, typically experience symptoms such as breathlessness, dizziness, heart palpitations, and severe fatigue (Ciumărnean et al., 2021; de-Graft Aikins et al., 2020). These symptoms often result in a reduced ability to engage in activities and necessary lifestyle adjustments, significantly impacting patients' satisfaction and quality of life (Lettino et al., 2022; Osokpo & Riegel, 2021).

Interventions in care have been shown to improve patients' ability to engage in activities, reduce pain, alleviate anxiety, lessen the severity of heart failure, and foster better social and family interactions. This, in turn, enhances the overall quality of life for these patients (Amiri et al., 2023; Asadallah Salmanpour & Pasha, 2023; Mirzaian Gizehroud et al., 2022; Şahin & Soylu, 2024; Sakkaki et al., 2023; Tavakolizadeh et al., 2023). Quality of life is understood as an individual's perception of their position in life within the context of their culture and value systems, and about their goals, expectations, standards, and worries (Johari-Fard & Ghafourpour; Şahin & Soylu, 2024; Sefotho et al., 2024; Taheri et al., 2022; Yaghoubian & Babakhani, 2020). It encompasses various aspects of human needs, tied closely to personal and communal perceptions of well-being. Specifically, in the context of health, quality of life is centered on well-being and life satisfaction, which are pivotal to therapeutic approaches and extend beyond mere health concerns (Mirzaian Gizehroud et al., 2022; Ruggeri et al.; Şahin & Soylu, 2024).

The World Health Organization (WHO) delineates four key dimensions of quality of life: physical health, mental health, social relationships, and environmental factors. Given the chronic nature of heart diseases, assessing patients' quality of life is essential in making therapeutic decisions (Ghazy et al., 2022).

Emerging research underscores the significance of self-efficacy - the belief in one's capacity to execute specific self-care behaviors - in enhancing the quality of life for patients (Charmi & Zoghi, 2023; Pakaya et al.; Peymani & Aghajanihashjin, 2022; Sayed Alitabar & Goli, 2023). Self-efficacy influences an individual's perception of their skills and capabilities in successfully performing tasks and impacts their resilience, behaviors, and environmental choices (Goli & Mirseify Fard, 2022;

Jafarzadeh et al., 2022; Sadat Mousavi & Ebrahimi, 2024; Sayed Alitabar & Goli, 2023).

Further studies indicate a potential link between patients' resilience and their quality of life, mediated by self-efficacy (Jia et al., 2021; Peñacoba et al., 2021; Wu et al., 2021). Resilience, defined as the ability, process, or outcome of successfully managing difficult situations, is a key factor in adapting to adverse conditions (Cooper et al., 2020).

The field of positive psychology concentrates on maintaining mental and physical health in challenging situations, focusing particularly on capabilities (Arnout, 2021). Positive psychotherapy, a facet of this field, not only reduces negative symptoms but also actively fosters positive emotions, capabilities, and a sense of meaning, converting vulnerability into resilience (Waters et al., 2022). It can create positive resources and counterbalance negative symptoms, as well as help prevent their recurrence. The treatment of various diseases today involves more than just classical medical approaches; psychological principles, such as those found in positive psychology, play a significant role (Shoshani, 2021).

Positive psychology is a scientifically validated approach in psychotherapy, primarily concerned with fostering capabilities and positive emotions. It aims to relieve psychological distress and increase happiness by adding meaning to patients' lives. Interventions in positive psychology are educational packages based on findings and models from this field (Darbani & Parsakia, 2023; Dehaqin et al., 2023; Hendriks et al., 2020; Movahedrad et al., 2023; Parsakia & Darbani, 2022; Parsakia et al., 2023; Parsakia et al., 2024; Sadat Mousavi & Ebrahimi, 2024; Tolo Takmili Torabi et al., 2020). Experiencing positive emotions, a key aspect of positive psychology, often boosts adaptability and resilience, fostering optimistic thinking. This approach, which emphasizes human talents and capabilities over abnormalities and disorders, has gained increasing prominence in recent years. It seeks to identify constructs and methods that promote human happiness and well-being, focusing on factors that enhance human adaptability to life's demands and threats (Bhandarkar & Jadhav, 2022; Parsakia & Darbani, 2022; Parsakia et al., 2023; Parsakia et al., 2024).

Resilience is increasingly studied in various psychological domains, including developmental and

family psychology, as well as mental health (Infurna; Kouchakzadeh et al., 2022; Masten et al., 2021; Rostami, 2023; Zadhasan, 2023). Experts assert that resilience skills can be learned and that positive psychology interventions (PPIs) not only enhance happiness and life satisfaction but also add meaning to life, encourage optimistic thinking, and mitigate depression (Arvin et al., 2024; Delhom et al., 2020; El-Abbassy et al., 2020; Saadati & Rezazadeh, 2024; Yousefi et al., 2024). Thus, through counseling and psychological interventions, symptoms can be alleviated, disease progression slowed, personal capabilities preserved and enhanced, and patients can maintain a normal and natural life process. The study of (W. L. Lim & S. Tierney, 2023) highlighted the effectiveness of positive interventions in reducing depression symptoms and enhancing well-being. Recognizing that the integration of therapies, including psychological interventions, can mark a new step in improving disease conditions, there is an increasing emphasis on leveraging the services of psychologists and psychological treatments, such as PPIs, alongside medical treatments. This approach is seen as an effective step in improving adaptation and quality of life for patients.

The purpose of this study is to assess how PPIs contribute to the resilience of individuals suffering from CVDs. This assessment is in line with our overarching objective of improving the well-being and life quality of patients.

Methods and Materials

Study Design and Participants

This research employed a quasi-experimental study that included a pre-test, post-test with a control group, and a follow-up period of one month. It focused on a group of 50 male patients diagnosed with CVDs, purposively selected from the Baghdad Teaching Hospital in 2023. The participants were randomly divided into two groups (intervention and control).

The study included male patients aged between 30 and 60 years, with a confirmed diagnosis of cardiovascular disease and a minimum education level of a high school diploma to ensure understanding and

compliance with study requirements. Participants had to provide consent to participate in the study. Patients were excluded if they had severe comorbid conditions that could interfere with the study outcomes, a history of recent cardiac surgery or intervention within the past six months, an inability to attend follow-up sessions or comply with study requirements, or participation in another clinical trial within the past 3 months.

The sample size was determined using G*Power software version 3.1 based on the following criteria: effect size (Cohen's d) of 0.8, alpha error probability of 0.05, power (1- β error probability) of 0.95, and allocation ratio of 1. This yielded a total sample size of 42, which was increased to 50 to account for potential attrition.

Instruments

The Connor-Davidson Resilience Scale 25 (CD-RISC-25) is a widely used 25-item self-rating tool to measure resilience (Connor & Davidson, 2003). It assesses resilience on a five-point scale, with items related to stress tolerance, adaptability, self-efficacy, and optimism, among others. The scale has strong psychometric properties, including high internal consistency (Cronbach's $\alpha = 0.89$). Scoring ranges from 0 to 100, with higher scores indicating greater resilience. In a research by Mahdi et al. (2014), the reliability of this scale using Cronbach's α was 0.86, and factor analysis results indicated the presence of a single general factor in the scale. The Kaiser-Meyer-Olkin measure for this analysis was 0.88, and the Bartlett's test was 7.18.

Intervention

In this study, every participant was required to fill out the CD-RISC-25 questionnaire. Those in the intervention group attended PPI sessions for five weeks, with two sessions each week, each lasting 120 minutes. Conversely, the control group did not receive any such interventions. For each session, a study trainer revisited and discussed the strategies covered in the previous meeting. The therapeutic method used was based on the protocols proposed by Al-Abbudi et al. (2018) in Table 1:

Table 1

The PPI exercises are designed to enhance resilience and adaptability in CVD patients.

Session	Content	Aim
1	Recognizing and documenting three grateful events from the past week	To highlight positive occurrences and cultivate gratitude, enhancing mental and physical health
2	Writing a letter to express gratitude towards another person's kindness	To harness the strong mood and well-being benefits of expressing gratitude
3	Imagining one's best possible future regarding social relationships over the next five years	To associate the practice with increased happiness, reduced distress, and continued interest post-intervention
4	Imagining one's best possible health future within a five-year scope	To focus on mental and physical health aspirations, reinforcing positive outlooks for the future
5-6	Performing and recording three kinds of acts within a single day	To demonstrate the mood-enhancing effect of clustering kind acts and their association with improved mood
7-8	Repeating a preferred exercise from weeks 1-6, tailored to individual needs	To emphasize person-activity fit and cater to individual preferences for more effective outcomes
9	Integrating PPI techniques into daily life and establishing a maintenance routine	To empower patients in applying PPI strategies consistently for long-term benefits
10	Reviewing progress, addressing challenges, and establishing ongoing support plans	To evaluate the intervention's impact and ensure continued application and support post-program

Data Analysis

After the completion of the intervention sessions, both the intervention and control groups underwent a post-test assessment. One month following the conclusion of the therapy sessions, a follow-up evaluation was conducted. For the data analysis, the SPSS software version 26 was employed. Before evaluating the effectiveness of the positive psychology interventions, necessary statistical prerequisites such as the normality of score distribution and the homogeneity of variances were verified. Repeated-measure analysis of

variance was used to assess the impact of the interventions across the three time points (pre-test, post-test, follow-up). Bonferroni post-hoc tests were conducted to determine significant pairwise differences. The significance level was set at $p < 0.05$.

Findings and Results

Table 2 shows the descriptive indicators of the data obtained from administering the resilience questionnaire at the pre-test, post-test, and follow-up stages, separately for each group.

Table 2

Descriptive indices of the resilience variable according to each group and follow-up stage

Variable	Group	Pre-test	Post-test	Follow-up
Resilience	Intervention	49.33 ± 7.38	69.22 ± 8.05	68.97 ± 7.69
	Control	52.75 ± 11.30	53.20 ± 11.99	53.13 ± 1.73

According to Table 2, the intervention group demonstrated a baseline average resilience score of 49.33, which significantly increased to 69.22 post-intervention, and slightly decreased to 68.97 at the one-month follow-up. Conversely, the control group's average resilience scores were more stable, beginning at 52.75 at baseline, marginally rising to 53.20 post-intervention, and then to 53.13 at follow-up. This data indicates that the intervention group experienced a substantial increase in resilience scores post-intervention compared to the control group.

Repeated measures ANOVA indicated a significant time x group interaction effect ($F(2,96)=87.36$, $p < 0.001$, $\eta^2 p = 0.65$) (Table 3). Bonferroni post-hoc tests revealed that the intervention group had significantly higher resilience scores at post-test ($p < 0.001$) and follow-up ($p < 0.001$) compared to pre-test (Table 4). No significant differences were found across time points for the control group ($p > 0.05$). Between-group comparisons showed significantly higher resilience in the intervention group versus control at post-test ($p < 0.001$) and follow-up ($p < 0.001$), but not at pre-test ($p > 0.05$).

Table 3*Repeated measures ANOVA results*

Source	SS	df	MS	F	p-value	η^2p
Time	2838.14	2	1419.07	115.52	<0.001	0.78
Time $\times$ Group	2147.52	2	1073.76	87.36	<0.001	0.65
Error (Time)	1179.34	96	12.28			

Table 4*Bonferroni post-hoc tests*

Comparison	Mean Difference	Std. Error	p-value
Intervention: Pre-test vs Post-test	-19.89	1.24	<0.001
Intervention: Pre-test vs Follow-up	-19.64	1.22	<0.001
Control: Pre-test vs Post-test	-0.45	1.24	>0.05
Control: Pre-test vs Follow-up	-0.38	1.22	>0.05
Pre-test: Intervention vs Control	-3.42	2.15	>0.05
Post-test: Intervention vs Control	16.02	2.28	<0.001
Follow-up: Intervention vs Control	15.84	2.20	<0.001

These results demonstrate that subjects receiving PPIs exhibited a significant and sustained increase in resilience compared to controls. The effect size (η^2p) of 0.78 for the main effect of time suggests that the intervention was responsible for a substantial portion of the observed changes in resilience scores.

Discussion and Conclusion

The primary outcome of this research indicates a significant improvement in the adaptability and resilience of cardiovascular disease patients following PPIs. Notably, the intervention group exhibited a marked and sustained increase in resilience scores compared to the control group. This finding is pivotal, as it demonstrates the potential of PPIs in enhancing psychological resilience in a population that typically confronts significant physical and emotional challenges.

Our findings resonate with existing research in the realm of PPIs for cardiac patients. For instance, Jyotsna et al. (2023) observed significant improvements in happiness, depression, and hope among heart disease patients who received PPIs, with moderate to large effect sizes, particularly at follow-up assessments (Jyotsna et al., 2023a). This parallels our observations of sustained improvements in adaptability post-intervention. Additionally, a systematic review and meta-analysis underscored the efficacy of PPIs in enhancing mental well-being and reducing distress among cardiovascular disease patients (Wei Loong Lim & Stephanie Tierney,

2023). These studies collectively reinforce our findings, highlighting the promising role of PPIs in managing the psychological aspects of cardiovascular health.

The substantial increase in resilience scores post-intervention and their sustained elevation at the one-month follow-up assessment underscore both the immediate and long-term benefits of PPIs. This sustained improvement is particularly noteworthy, as it suggests that the skills and mindset cultivated through the intervention can be maintained over time, potentially contributing to lasting psychological well-being. The large effect sizes observed further emphasize the practical significance of these findings, indicating that PPIs can make a meaningful difference in the lives of CVD patients.

The mechanisms through which PPIs foster resilience in CVD patients likely involve a combination of factors. By focusing on strengths, positive emotions, and meaning, these interventions may help patients reframe their challenges, cultivate a more optimistic outlook, and draw upon internal and external resources to cope with adversity. The group format of the intervention may also provide a supportive social environment that normalizes experiences and facilitates the sharing of coping strategies. Furthermore, the emphasis on practicing skills and integrating them into daily life may promote the development of lasting habits that support resilience.

The clinical implications of our study are substantial. Integrating PPIs into the standard care regimen for cardiovascular disease patients could potentially

augment their psychological resilience and overall well-being. This integration not only addresses the psychological needs of these patients but may also contribute to better health outcomes by fostering a positive mindset that can influence physiological health.

While our study presents encouraging findings, it is not without limitations. The sample size and the specific demographic composition may limit the generalizability of our results. Future research should focus on larger, more diverse populations to validate and extend these findings. Furthermore, long-term studies are needed to assess the sustainability of the positive effects observed, and comparative studies could evaluate the efficacy of different types of PPIs. Future research should focus on expanding the demographic diversity of participants and exploring the implementation of PPIs in various stages of CVD. Additionally, further investigation into the mechanisms through which PPIs foster resilience will be valuable in refining these interventions for enhanced effectiveness. Overall, this study contributes to a deeper understanding of the intersection between psychology and cardiology, paving the way for more integrated and patient-centered care approaches.

This study has made significant strides in understanding the role of PPIs in enhancing the resilience of patients with CVD. The findings demonstrate a substantial and sustained increase in resilience scores in the intervention group compared to the control group, highlighting the effectiveness of PPIs. The integration of these interventions into therapeutic practices for CVD patients not only addresses psychological distress but also contributes to overall well-being and life satisfaction.

Our research confirms the growing importance of psychological factors in medical treatment. The positive shift in resilience scores post-intervention and their sustainability over a one-month follow-up period emphasize the long-term benefits of PPIs. This aligns with the broader goals of enhancing patient well-being and quality of life, underscoring the necessity of holistic approaches in healthcare.

Acknowledgments

The authors express their gratitude and appreciation to all participants.

Declaration of Interest

The authors of this article declared no conflict of interest.

Ethical Considerations

The study protocol adhered to the principles outlined in the Helsinki Declaration, which provides guidelines for ethical research involving human participants. Ethical considerations in this study were that participation was entirely optional.

Transparency of Data

By the principles of transparency and open research, we declare that all data and materials used in this study are available upon request.

Funding

This research was carried out independently with personal funding and without the financial support of any governmental or private institution or organization.

Authors' Contributions

All authors equally contribute to this study.

References

- Al-Abbudi, S. J., Lami, F. H., & Wady, Z. A. (2018). Prevalence and assessment of severity of depression among ischemic heart disease patients attending the outpatient cardiology department, Baghdad Teaching Hospital, Baghdad. Iraq. *Journal of Psychiatry*, 21(2). <https://doi.org/10.4172/2378-5756.1000438>
- Amiri, M., Khosh Akhlagh, H., Sajadian, P. S., & Rezaie Jamalouei, H. (2023). The effectiveness of treatment based on acceptance and commitment on sexual performance and emotional safety in men with cardiovascular disease. *Applied Family Therapy Journal (AFTJ)*, 4(4), 520-535. <https://doi.org/10.61838/kman.aftj.4.4.29>
- Arnout, B. A. (2021). The role of positive psychology interventions to reduce psychological problems associated with the COVID-19 pandemic: Prevention and Therapy Approach. *Sohag University International Journal of Educational Research*, 4(4), 7-26. <https://doi.org/10.21608/suijer.2021.174766>
- Arvin, N., Namjoo, A., Mousavikhoo, S. L., Namjoo, F., & Keshavarz, S. (2024). Exploring the Role of Family Resilience in Predicting Marital Functioning: A Cross-Sectional Study. *Journal of Psychosociological Research in Family and Culture*, 2(1), 10-15. <https://doi.org/10.61838/kman.jprfc.2.1.3>
- Asadallah Salmanpour, F., & Pasha, G. (2023). The effect of acceptance and acceptance therapy (ACT) on happiness, mental health, and quality of life of mothers with autistic children. *Psychology of Women Journal*, 4(1), 81-89. <https://doi.org/10.61838/kman.pwj.4.1.9>

- Bhandarkar, K. K., & Jadhav, S. (2022). Positive Psychology: A Catalyst Factor to Foster Employee Resilience. *Journal of Positive School Psychology*, 6(3), 6303-6317. <https://journalppw.com/index.php/jpsp/article/download/353/72316/4026>
- Changi Ashtiani, M., Fattahi, N., Balali, D., Alavi, S. H., & Mahmoudzadeh, M. (2024). Effectiveness of Mindfulness-Based Schema Therapy on Mental Pain and Experiential Avoidance in Patients with Cardiovascular Diseases. *Journal of Assessment and Research in Applied Counseling (JARAC)*, 6(1), 90-96. <https://doi.org/10.61838/kman.jarac.6.1.10>
- Charmi, A., & Zoghi, L. (2023). Prediction of life expectancy based on pain self-efficacy, death obsession, and general health, with the mediation of emotion regulation in indigent dialysis women. *Journal of Assessment and Research in Applied Counseling (JARAC)*, 5(1), 104-111. <https://doi.org/10.61838/kman.jarac.5.1.14>
- Ciumărnean, L., Milaciu, M. V., Negrean, V., Orășan, O. H., Vesa, S. C., Sălăgean, O., Iluț, S., & Vlaicu, S. I. (2021). Cardiovascular risk factors and physical activity for the prevention of cardiovascular diseases in the elderly. *International Journal of Environmental Research and Public Health*, 19(1), 207. <https://doi.org/10.3390/ijerph19010207>
- Connor, K. M., & Davidson, J. R. T. (2003). Development of a new resilience scale: The Connor-Davidson Resilience Scale (CD-RISC). *Depression and Anxiety*, 18(2), 76-82. <https://doi.org/10.1002/da.10113>
- Cooper, A. L., Brown, J. A., Rees, C. S., & Leslie, G. D. (2020). Nurse resilience: A concept analysis. *International Journal of Mental Health Nursing*, 29(4), 553-575. <https://doi.org/10.1111/inm.12721>
- Darbani, S. A., & Parsakia, K. (2023). Investigating the effectiveness of strength-based counseling on adolescent resilience. *Journal of Adolescent and Youth Psychological Studies (JAYPS)*, 4(5), 169-175. <https://doi.org/10.61838/kman.jayps.4.5.16>
- De-Graft Aikins, A., Kushitor, M., Kushitor, S. B., Sanuade, O., Asante, P. Y., Sakyi, L., Agyei, F., Koram, K., & Ogedegbe, G. (2020). Building cardiovascular disease competence in an urban poor Ghanaian community: A social psychology of participation approach. *Journal of Community & Applied Social Psychology*, 30(4), 419-440. <https://doi.org/10.1002/casp.2447>
- Dehaqin, V., Gholamali Lavasani, M., & Naghsh, Z. (2023). The effectiveness of paradoxical therapy on relational, practical, and obsessive-compulsive symptoms. *Journal of Adolescent and Youth Psychological Studies (JAYPS)*, 4(4), 118-133. <https://doi.org/10.61838/kman.jayps.4.4.12>
- Delhom, I., Satorres, E., & Meléndez, J. C. (2020). Can we improve emotional skills in older adults? Emotional intelligence, life satisfaction, and resilience. *Psychosocial Intervention*, 29(3), 133-139. <https://doi.org/10.5093/pi2020a8>
- El-Abbassy, A. A., Salam, A. H. E. D., Berry, K. I. E., & Elfeshawy, R. (2020). Positive Psychology Intervention for Promoting Mental Health, Life Satisfaction, and Happiness Level among Adolescents. *Systematic Reviews in Pharmacy*, 11(10), 996-1008. <https://www.sysrevpharm.org/abstract/positive-psychology-intervention-for-promoting-mental-health-life-satisfaction-and-happiness-level-among-adolescents-66786.html>
- Ghazy, R. M., Abubakar Fiidow, O., Abdullah, F. S. A., Elbarazi, I., Ismail, I. I., Alqutub, S. T., Bouraad, E., Hammouda, E. A., Tahoun, M. M., & Mehdad, S. (2022). Quality of life among health care workers in Arab countries 2 years after the COVID-19 pandemic. *Frontiers in Public Health*, 10, 917128. <https://doi.org/10.3389/fpubh.2022.917128>
- Goli, F. (2024). Beyond Biology: The Personality Underpinnings of Chronic Pain. *Journal of Personality and Psychosomatic Research (JPPR)*, 2(2), 1-3. <https://doi.org/10.61838/kman.jppr.2.2.1>
- Goli, Z. S., & Mirseify fard, L. S. (2022). Comparison of personality abilities, coping style with stress, and self-efficacy in two groups of housewives and female teachers of the second secondary level of Kashan city. *Psychology of Women Journal*, 3(1), 56-71. <https://doi.org/10.61838/kman.pwj.3.1.6>
- Hendriks, T., Schotanus-Dijkstra, M., Hassankhan, A., De Jong, J., & Bohlmeijer, E. (2020). The Efficacy of Multi-component Positive Psychology Interventions: A Systematic Review and Meta-analysis of Randomized Controlled Trials. *Journal of Happiness Studies*, 21(1), 357-390. <https://doi.org/10.1007/s10902-019-00082-1>
- Infurna, F. J. (2021). Utilizing principles of life-span developmental psychology to study the complexities of resilience across the adult life span. *The Gerontologist*, 61(6), 807-818. <https://doi.org/10.1093/geront/gnab086>
- Jafarzadeh, N., Mirzahoseini, H., & Monirpour, N. (2022). The effectiveness of self-efficacy-based motivational interview on increasing medication adherence in women with type-2 diabetes. *Applied Family Therapy Journal (AFTJ)*, 3(3), 508-519. <https://doi.org/10.61838/kman.ajt.3.3.29>
- Jia, Y., Shi, J., Sznajder, K. K., Yang, F., Cui, C., Zhang, W., & Yang, X. (2021). Positive effects of resilience and self-efficacy on World Health Organization Quality of Life Instrument score among caregivers of stroke inpatients in China. *Psychogeriatrics*, 21(1), 89-99. <https://doi.org/10.1111/psyg.12635>
- Johari-Fard, R., & Ghafourpour, R. (2015). The Effectiveness of Unified Treatment Approach on Quality of Life and Symptoms of Patients with Irritable Bowel Syndrome Referred to Gastrointestinal Clinics. *International Journal of Body, Mind and Culture*, 2(2), 85-94. <https://doi.org/10.22122/ijbmc.v2i2.36>
- Jyotsna, F. N. U., Ahmed, A., Kumar, K., Kaur, P., Chaudhary, M. H., Kumar, S., Khan, E., Khanam, B., Shah, S. U., & Varrassi, G. (2023a). Exploring the complex connection between diabetes and cardiovascular disease: analyzing approaches to mitigate cardiovascular risk in patients with diabetes. *Cureus*, 15(8). <https://www.cureus.com/articles/179078-exploring-the-complex-connection-between-diabetes-and-cardiovascular-disease-analyzing-approaches-to-mitigate-cardiovascular-risk-in-patients-with-diabetes.pdf>
- Jyotsna, F. N. U., Ahmed, A., Kumar, K., Kaur, P., Chaudhary, M. H., Kumar, S., Khan, E., Khanam, B., Shah, S. U., & Varrassi, G. (2023b). Exploring the complex connection between diabetes and cardiovascular disease: Analyzing approaches to mitigate cardiovascular risk in patients with diabetes. *Cureus*, 15(8). <https://doi.org/10.7759/cureus.43882>
- Kouchakzadeh, R., Behzadi, S., & Sedaghat, S. (2022). Investigating the relationship between job resilience and organizational entrepreneurship in Payam Noor University, Fars province. *International Journal of Innovation Management and Organizational Behavior (IJIMOB)*, 2(1), 28-36. <https://doi.org/10.61838/kman.ijimob.2.1.3>
- Lettino, M., Mascherbauer, J., Nordaby, M., Ziegler, A., Collet, J. P., Derumeaux, G., Hohnloser, S. H., Leclercq, C., O'Neill, D. E., & Visseren, F. (2022). Cardiovascular disease in the elderly: Proceedings of the European Society of Cardiology-Cardiovascular Round Table. *European Journal of Preventive Cardiology*, 29(10), 1412-1424. <https://doi.org/10.1093/eurjpc/zwac033>
- Lim, W. L., & Tierney, S. (2023). The Effectiveness of Positive Psychology Interventions for Promoting Well-being of Adults

- Experiencing Depression Compared to Other Active Psychological Treatments: A Systematic Review and Meta-analysis. *Journal of Happiness Studies*, 24(1), 249-273. <https://doi.org/10.1007/s10902-022-00598-z>
- Lim, W. L., & Tierney, S. (2023). The Effectiveness of Positive Psychology Interventions for Promoting Well-being of Adults Experiencing Depression Compared to Other Active Psychological Treatments: A Systematic Review and Meta-analysis. *Journal of Happiness Studies*, 24(1), 249-273. <https://doi.org/10.1007/s10902-022-00598-z>
- Mahdi, H. K., Prihadi, K., & Hashim, S. (2014). Posttraumatic Growth and Resilience after a Prolonged War: A Study in Baghdad, Iraq. *International Journal of Evaluation and Research in Education*, 3(3), 197-204. <https://doi.org/10.11591/ijere.v3i3.6316>
- Masten, A. S., Lucke, C. M., Nelson, K. M., & Stallworthy, I. C. (2021). Resilience in Development and Psychopathology: Multisystem Perspectives. *Annual review of clinical psychology*, 17(1), 521-549. <https://doi.org/10.1146/annurev-clinpsy-081219-120307>
- Mirzaian Gizehroud, S. S., Monirpour, N., Akbari, M. E., & Zargham Hajabi, M. (2022). Structural model of quality of life in women with breast cancer based on type D personality with mediating role of therapeutic compliance. *Applied Family Therapy Journal (AFTJ)*, 3(4), 208-216. <https://doi.org/10.61838/kman.aftj.3.4.12>
- Movahedrad, F., Seyed Alitabar, S. H., Mohammadi, A., & Hoseinifard, V. (2023). The effectiveness of strength-based counseling on the tendency toward marital infidelity and self-compassion of conflicted couples. *Journal of Assessment and Research in Applied Counseling*, 5(2), 8-14. <https://doi.org/10.61838/kman.jarac.5.2.2>
- Münzel, T., Hahad, O., Sørensen, M., Lelieveld, J., Duerr, G. D., Nieuwenhuijsen, M., & Daiber, A. (2022). Environmental risk factors and cardiovascular diseases: A comprehensive expert review. *Cardiovascular Research*, 118(14), 2880-2902. <https://doi.org/10.1093/cvr/cvab316>
- Nazari, A., Saedi, S., & Abdi, M. (2023). Comparing the effectiveness of schema therapy and acceptance and commitment therapy on chronic fatigue syndrome in patients with multiple sclerosis. *Journal of Personality and Psychosomatic Research (JPPR)*, 1(1), 25-28. <https://doi.org/10.61838/kman.jppr.1.1.6>
- Osokpo, O., & Riegel, B. (2021). Cultural factors influencing self-care by persons with cardiovascular disease: An integrative review. *International Journal of Nursing Studies*, 116, 103383. <https://doi.org/10.1016/j.ijnurstu.2019.06.014>
- Pakaya, R. E., Syam, Y., & Syahrul, S. (2021). Correlation of self-efficacy and self-care of patients undergoing hemodialysis with their quality of life. *Enfermería Clínica*, 31, S797-S801. <https://doi.org/10.1016/j.enfcli.2021.07.033>
- Parsakia, K., & Darbani, S. A. (2022). Effectiveness of strength-based counseling on the self-worth of divorced women. *Applied Family Therapy Journal (AFTJ)*, 3(1), 687-700. <https://doi.org/10.61838/kman.aftj.3.1.34>
- Parsakia, K., Farzad, V., & Rostami, M. (2023). The mediating role of attachment styles in the relationship between marital intimacy and self-differentiation in couples. *Applied Family Therapy Journal (AFTJ)*, 4(1), 589-607. <https://doi.org/10.61838/kman.aftj.4.1.29>
- Parsakia, K., Knechtel, B., & Irandoust, K. (2024). Strength-Based Therapy: Empowering Athletes' Self-Efficacy and Life Satisfaction. *Health Nexus*, 2(2), 1-7. <https://doi.org/10.61838/kman.hn.2.2.1>
- Peñacoba, C., Catala, P., Velasco, L., Carmona-Monge, F. J., García-Hedra, F. J., & Gil-Almagro, F. (2021). Stress and quality of life of intensive care nurses during the COVID-19 pandemic: Self-efficacy and resilience as resources. *Nursing in Critical Care*, 26(6), 493-500. <https://doi.org/10.1111/nicc.12690>
- Peymani, J., & Aghajanihashjin, T. (2022). Structural relationships of pain intensity and self-efficacy with fear of movement mediated by psychological distress in women with rheumatoid arthritis. *Applied Family Therapy Journal (AFTJ)*, 3(3), 1-19. <https://doi.org/10.61838/kman.aftj.3.3.1>
- Powell-Wiley, T. M., Baumer, Y., Baah, F. O., Baez, A. S., Farmer, N., Mahlobo, C. T., Pita, M. A., Potharaju, K. A., Tamura, K., & Wallen, G. R. (2022). Social Determinants of Cardiovascular Disease. *Circulation Research*, 130(5), 782-799. <https://doi.org/10.1161/CIRCRESAHA.121.319811>
- Qiu, H., & Piskorz-Ryń, O. (2024). Understanding Patient Adherence to Hypertension Management Guidelines. *KMAN Counseling & Psychology Nexus*, 2(1), 70-76. <https://doi.org/10.61838/kman.psychnexus.2.1.11>
- Rostami, M. (2023). Beyond the Bedroom: How Resilience and Thought Control Influence Sexual Satisfaction. *KMAN Counseling & Psychology Nexus*, 1(2), 10-16. <https://doi.org/10.61838/kman.psychnexus.1.2.3>
- Ruggeri, K., Garcia-Garzon, E., Maguire, Á., Matz, S., & Huppert, F. A. (2020). Well-being is more than happiness and life satisfaction: A multidimensional analysis of 21 countries. *Health and Quality of Life Outcomes*, 18(1), 1-16. <https://doi.org/10.1186/s12955-020-01423-y>
- Saadati, S. M., & Rezazadeh, F. (2024). Stress, Resilience, and the Immune System: A Health Psychology Analysis. *KMAN Counseling & Psychology Nexus*, 1(1), 109-117. <https://doi.org/10.61838/kman.psychnexus.1.1.14>
- Sadat Mousavi, S., & Ebrahimi, A. (2024). Structural Model of the Effect of Psychological Capital on Innovative Behavior in Teaching: The Mediating Role of Conscientiousness Personality Trait. *International Journal of Education and Cognitive Sciences*, 4(4), 1-10. <https://doi.org/10.61838/kman.ijecs.4.4.1>
- Şahin, A., & Soyulu, D. (2024). Patient Perspectives on Lifestyle Changes Following a Diabetes Diagnosis. *KMAN Counseling & Psychology Nexus*, 2(1), 56-62. <https://doi.org/10.61838/kman.psychnexus.2.1.9>
- Sakkaki, S., Naderi, F., & Hafezi, F. (2023). Causal relationship between Depression and Health-related quality of life through the chain mediation of Chronic Fatigue and Treatment Adherence in women with uterine cancer. *Applied Family Therapy Journal (AFTJ)*, 4(1), 512-533. <https://doi.org/10.61838/kman.aftj.4.1.25>
- Sayed Alitabar, S. H., & Goli, F. (2023). The Interplay of Neuroticism and Self-Efficacy in Pain Catastrophizing: A Quantitative Analysis. *Journal of Personality and Psychosomatic Research (JPPR)*, 1(2), 19-24. <https://doi.org/10.61838/kman.jppr.1.2.4>
- Sefotho, M. M., Serjanaj, B., Karthik, S., & Saadati, S. A. (2024). The Psychosomatic Interface of Stress and Skin Disorders: Patient Experiences and Perceptions. *Journal of Personality and Psychosomatic Research (JPPR)*, 2(2), 26-33. <https://doi.org/10.61838/kman.jppr.2.2.5>
- Shoshani, A. (2021). Transcending the reality of war and conflict: effects of a positive psychology school-based program on adolescents' mental health, compassion, and hopes for peace. *The Journal of Positive Psychology*, 16(4), 465-480. <https://doi.org/10.1080/17439760.2020.1752778>
- Taheri, M., Tajali, P., & Shahriari Ahmadi, M. (2022). Designing and validation of a family-centered emotion regulation program and determining its effect on Impulsivity and Family Quality of Life in adolescents with Oppositional Defiant

- Disorder. *Journal of Adolescent and Youth Psychological Studies (JAYPS)*, 3(2), 1-16. <https://doi.org/10.61838/kman.jayps.3.2.1>
- Tavakolizadeh, J., Goli, F., Ebrahimi, A., Hajivosough, N. S., & Mohseni, S. (2023). Effectiveness of a Bioenergy Economy-Based Psycho-education Package on Improvement of Vegetative Function, Forgiveness, and Quality of Life of Patients with Coronary Heart Disease: A Randomized Clinical Trial. *International Journal of Body, Mind and Culture*, 8(1), 40-54. <https://doi.org/10.22122/ijbmc.v8i1.259>
- Tolo Takmili Torabi, N., Vakili, P., & Fattahi Andebil, A. (2020). The relationship between personality traits and marital satisfaction based on the mediation role of religious orientation. *Applied Psychology*, 14(1), 99-118. <https://doi.org/10.52547/apsy.14.1.99>
- Townsend, N., Kazakiewicz, D., Lucy Wright, F., Timmis, A., Huculeci, R., Torbica, A., Gale, C. P., Achenbach, S., Weidinger, F., & Vardas, P. (2022). Epidemiology of cardiovascular disease in Europe. *Nature Reviews Cardiology*, 19(2), 133-143. <https://doi.org/10.1038/s41569-021-00607-3>
- Waters, L., Algae, S. B., Dutton, J., Emmons, R., Fredrickson, B. L., Heaphy, E., Moskowitz, J. T., Neff, K., Niemiec, R., Pury, C., & Steger, M. (2022). Positive psychology in a pandemic: Buffering, bolstering, and building mental health. *The Journal of Positive Psychology*, 17(3), 303-323. <https://doi.org/10.1080/17439760.2021.1871945>
- Wu, X., Xu, H., Zhang, X., Han, S., Ge, L., Li, X., & Zhang, X. (2021). Self-efficacy and hope as mediators between positive coping and resilience among patients with gastric cancer before the first chemotherapy. *Cancer Nursing*, 44(1), 79-85. <https://doi.org/10.1097/NCC.0000000000000753>
- Yaghoobian, A., & Babakhani, N. (2020). The Prediction of Quality of Life based on the Mindfulness of Middle-aged Women in Tehran, Iran. *International Journal of Body, Mind and Culture*, 6(4), 224-230. <https://doi.org/10.22122/ijbmc.v6i4.194>
- Yousefi, Z., Saadati, N., & Golparvar, M. (2024). The Impact of Emotional Intelligence and Resilience on Family Cohesion: Insights from Married Individuals. *Journal of Psychosociological Research in Family and Culture*, 2(1), 16-22. <https://doi.org/10.61838/kman.jprfc.2.1.4>
- Zadhasan, Z. (2023). Evaluating the Emotion Regulation Program on Enhancing Family Resilience. *KMAN Counseling & Psychology Nexus*, 1(2), 51-57. <https://doi.org/10.61838/kman.psychnexus.1.2.9>